


FORD FALCON UTILITIES AND VANS



Ford Australia - We're moving with you.





Ford Falcon and Falcon GL Utes. You can't go past them.

You can't go past a Falcon Ute for its combination of car comfort, three-quarter tonne load capacity, and the economy of Ford's Alloy Head six cylinder engine.

With heavy ribbed-steel load floor, a Falcon Ute really delivers the goods. And it does it with style.

You can show off a Falcon Ute anywhere you'd take a car. It won't put you down.

Falcon Utes feature rigid full-frame doors, plus side extractor windows for excellent flow-through ventilation when you need it most.

Ford Falcon Utility
Standard equipment highlights:
ENGINE:

- 3.3 litre Alloy Head crossflow 6-cylinder engine

TRANSMISSION:

- 3-speed manual column shift transmission

WHEELS AND BRAKES:

- Styled steel road wheels
- ER78S14 steel belt radial ply tyres
- Power assisted front disc brakes

EXTERIOR:

- Rectangular quartz halogen headlights
- Gas strut engine hood support
- Styled left and right hand exterior rear view mirrors each with interior remote control

INTERIOR:

- Side air extraction windows
- 'Soft-feel' 4-spoke steering wheel
- Bench seat with folding centre armrest
- Rubber floor mat in passenger compartment
- Power assisted ventilation
- 3-speed heater/demister
- Steering column control stalk for turn/lane change signals, high/low beam, headlight flasher and horn
- Prismatic day/night interior rear view mirror
- Dash mounted handbrake with trigger release
- Lockable front passenger glovebox and dash integrated oddment tray
- 'Lights on' warning lamp
- Cigarette lighter

Ford Falcon GL Utility

Standard equipment highlights:

As for Ford Falcon Utility but with these different, upgraded or additional features:



EXTERIOR:

- Bodyside protection mouldings
- Tonneau cover - Bungi cord type

INTERIOR:

- Adjustable bucket seats with folding centre armrest
- Centre console with cigarette lighter and ashtray
- Carpeted floor in passenger compartment.

Illustrated above: Ford Falcon GL Ute.





Ford Falcon and Falcon GL Vans. Nothing else comes close.

Falcon is a favourite with panel van buyers, because of its crisp styling, passenger comforts and fuel efficient 3.3 litre Alloy Head cross flow 6 cylinder engine.

Combine these features with a strong steel-ribbed load floor, side extractor windows, full frame cab doors and you can see why a Falcon Van is ready for action at a moment's notice.

In addition, to the features of the Falcon Van, the Falcon GL van offers a carpeted passenger compartment, adjustable bucket seats, plus headlining and side glass in the load area.

Side-hinged rear doors are standard on the Falcon Van and optional at lower cost on the Falcon GL model. The lift tailgate is standard on Falcon GL van and optional at extra cost on the Falcon Van.

Ford Falcon Van
Standard equipment highlights:
ENGINE:

- 3.3 litre Alloy Head crossflow 6-cylinder engine

TRANSMISSION:

- 5 speed manual column shift transmission

WHEELS AND BRAKES:

- Styled steel road wheels
- ER78S14 steel belt radial ply tyres
- Power assisted front disc brakes

EXTERIOR:

- Rectangular quartz halogen headlights
- Gas strut engine hood support
- Styled left and right hand exterior rear view mirrors each with interior remote control
- Side hinged rear doors

INTERIOR:

- Side air extraction windows
- 'Soft-feel' 4-spoke steering wheel
- Bench seat with folding centre armrest
- Rubber floor mat in passenger compartment
- Power assisted ventilation
- 3-speed heater/demister
- Steering column control stalk for turn/lane change signals, high/low beam, headlight flasher and horn
- Prismatic day/night interior rear view mirror
- Dash mounted handbrake with trigger release
- Lockable front passenger glovebox and dash integrated oddment tray
- 'Lights on' warning lamp
- Cigarette lighter

Ford Falcon GL Van

Standard equipment highlights:
As for Ford Falcon Van but with these different, upgraded or additional features:



EXTERIOR:

- Bodyside protection mouldings
- Side glass in load compartment
- Lift tailgate

INTERIOR:

- Adjustable bucket seats with folding centre armrest
- Carpeted floor in passenger compartment
- Rear load area headlining

Illustrated above: Ford Falcon GL Van.





Illustrated: Ford Falcon Ute. The business end. Three-quarter tonne capacity. Heavy gauge steel floor load area with ribbing for extra strength and easy loading/unloading. Double panelled sides in load area.



Illustrated: Falcon GL Ute with adjustable bucket seats and centre console - the four speed manual floor shift is optional at extra cost.



Illustrated: Falcon GL Ute showing opening side air extraction windows.



Illustrated: Falcon Ute/Van instrument panel and three speed manual column shift



Illustrated: Falcon GL Ute/GL Van passenger compartment. The three-speed automatic transmission with column shift is optional at extra cost.

PLEASE NOTE: The purpose of this brochure is to provide prospective purchasers with a general description of and an introduction to the products featured in it and should be read in the light of the following:

1. Subject to the laws of Australia and/or of any applicable State or Territory thereof and/or the regulations of any competent authority which may apply from time to time, Ford Motor Company of Australia Limited and Ford Sales Company of Australia Limited each reserves the right at its discretion at any time and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any standard, optional or available equipment therefor or any accessory for use on or in

connection therewith without incurring any liability whatsoever to any purchaser or prospective purchaser of any such product, item of equipment or accessory. Because of the possibility of the discontinuance of or changes in models, features, specifications, designs, standard, optional and available equipment, accessories and prices, a prospective purchaser should consult an authorised Ford Dealer for the latest information with respect to such matters and with respect to the availability of the products, optional and other equipment and accessories referred to in this brochure before deciding to place an order.

2. Some optional or other equipment items or accessories may be required to be ordered or used in combination with or without

other optional or other equipment items or accessories. Unless otherwise stated optional equipment and accessories are extra cost items. Details with respect to these requirements and costs can be obtained from an Authorised Ford Dealer.

3. Because of the variations which occur in manufactured products all capacities, measurements, dimensions and weights quoted in this brochure should be taken as approximate only.
4. The availability at any particular time of any of the products, items of standard, optional or available equipment or accessories referred to in this brochure will depend upon the local and/or overseas supply situation prevailing at that time.
5. Since the delivery of any product, item of optional or other equip-

ment or accessory can be delayed by causes beyond the reasonable control of Ford Motor Company of Australia Limited, Ford Sales Company of Australia Limited their Dealers, a purchaser is advised, following the placing of an order, to keep in touch with the Dealer to determine the progress of the order.

6. Certain rights are conferred upon purchasers of goods by the laws of Australia and the States and Territories thereof which cannot be excluded from or be restricted, modified or limited by any contract for the sale and purchase of goods.

FORD MOTOR COMPANY OF AUSTRALIA LIMITED
FORD SALES COMPANY OF AUSTRALIA LIMITED
1735 Sydney Road,
Campbellfield, Victoria, 3061.



FORD FALCON



Ford Falcon and Falcon GL Utilities and Vans

Options and Specifications

Options are at extra cost unless otherwise stated

Please read in conjunction with Ford Falcon Utilities and Vans brochure

CONVENIENCE EQUIPMENT	Notes	Falcon Van	Falcon Utility	Falcon GL Van	Falcon GL Utility
CONVENIENCE EQUIPMENT:					
Integrated air conditioning		OPT	OPT	OPT	OPT
AM push-button radio with lock-down aerial		OPT	OPT	OPT	OPT
AM push-button radio/stereo cassette tape player	(a)	OPT	OPT	OPT	OPT
AM/FM push-button radio/stereo cassette tape player	(b)	OPT	OPT	OPT	OPT
Windscreens wipers with intermittent setting		OPT	OPT	OPT	OPT
Front bench seat (brown vinyl)	(c)	STD	STD	NCO	NCO
Tonneau cover (bungie-cord type)		NA	OPT	NA	STD
Lift tailgate		OPT	NA	STD	NA
Side opening rear doors		STD	NA	O/R	NA
Van side glass		OPT	NA	STD	NA
Delete van side glass		STD	NA	O/R	NA
Striped wool blend seat facings		NA	NA	OPT	OPT
HEAVY DUTY EQUIPMENT/TOWING EQUIPMENT:					
15 cwt load capacity		STD	STD	STD	STD
10 cwt load capacity	(d)	O/R	O/R	O/R	O/R
Outback Pack	(e)	OPT	OPT	OPT	OPT
Class I Towing Pack	(f)(l)	OPT	OPT	OPT	OPT
SPORTS TYPE EQUIPMENT:					
'S Pack'	(g)	NA	NA	OPT	OPT
Volante sports alloy road wheels		OPT	OPT	OPT	OPT
Limited slip differential	(h)	OPT	OPT	OPT	OPT
Tinted-band, laminated windscreen		OPT	OPT	OPT	OPT
POWER EQUIPMENT:					
4-wheel power assisted disc brakes	(i)	OPT	OPT	OPT	OPT
Power steering	(j)	OPT	OPT	OPT	OPT
AIRANCE EQUIPMENT:					
Metallic paint	(k)	OPT	OPT	OPT	OPT
ENGINE AND TRANSMISSION COMBINATIONS:					
3.3 litre cross-flow 6-cylinder with:					
3-speed manual column shift	(1)	STD	STD	STD	STD
3-speed auto column shift		OPT	OPT	OPT	OPT
3-speed T-bar auto	(2)	NA	NA	OPT	NA
4.1 litre cross-flow 6-cylinder with:					
3-speed manual column shift	(1)	OPT	OPT	OPT	OPT
3-speed auto column shift		OPT	OPT	OPT	OPT
4-speed manual floor shift	(2)	NA	NA	OPT	OPT
3-speed T-bar auto	(2)	NA	NA	OPT	OPT
4.9 litre V8 with:					
3-speed auto column shift	(4)(3)	OPT	OPT	NA	NA
4-speed manual floor shift	(2)	NA	NA	NA	OPT
3-speed T-bar auto	(2)	NA	NA	OPT	OPT

STD means standard equipment **NA** means not available on this model **OPT** means option at extra cost
NCO means no cost option **O/R** means option at reduced cost.

TYRE AVAILABILITY:

ER78S14 steel belt radial ply tyres (4 ply rating)	Standard on 6-cylinder with 10 cwt load capacity option
ER78S14 steel belt radial ply tyres (6 ply rating)	Standard on 6-cylinder with 15 cwt load capacity.
ER70H14 steel belt radial ply tyres (6 ply rating)	Mandatory at extra cost on 8-cylinder. Optional at extra cost on 6-cylinder. Standard when 'S Pack' is specified.

NOTES TO CHARTS.

- (a) AM radio/stereo cassette includes twin speakers on utilities, 4 speakers on vans and lock-down aerial.
- (b) AM/FM radio/stereo cassette includes four speakers on Vans, two speakers on Utilities and lock-down aerial.
- (c) Digital clock not available when front bench seat is specified. Front bench seat includes folding centre arm rest and is available only with column shift transmission.
- (d) 10 cwt load capacity, which consists of different springs and a different rear axle ratio for 6 cylinder engines, is not available with the Outback Pack.
- (e) Outback Pack consists of heavy duty rear-axle, heavy duty air cleaner (6 cylinder only), engine sump guard and rear axle shock absorber protection plate.
- (f) The Class I Towing Pack is designed to provide a towing capability for loads with a gross weight of up to 907 kg (2,000 lbs.) (see Note I below) when used in conjunction with a suitable caravan or trailer braking system. The Pack consists of: • Tow Bar • Gooseneck • Wiring harness with 7 pin electrical connector.
 Note: The caravan or trailer braking system and any other items (such as the tow ball and safety chains) required for the attachment of a trailer, caravan or other equipment to the vehicle are not supplied as part of the Pack and must be purchased at extra cost or be supplied by the purchaser of the vehicle. The Class I Towing Pack is designed to be incorporated in the vehicle during the assembly of the vehicle.
- (g) 'S Pack' includes the following different or upgraded features: • Distinctive paint treatment • Slotted steel road wheels with chrome trim rings • Comprehensive instrumentation including speedometer, tachometer, fuel, temperature and oil pressure gauges, volt meter, trip meter, low fuel warning lamp and digital clock • Windscreens wipers with intermittent setting • Striped wool blend cloth seat facings • Front spoiler • Long range driving lights • ER70H14 steel belt radial ply tyres • Delete body side mouldings.
- (h) Limited slip differential is optional at extra cost with a 4.1 litre engine, and mandatory at extra cost with a 4.9 litre engine. A limited slip differential is not available when a 3.3 litre engine is specified.
- (i) 4-wheel power assisted disc brakes are optional at extra cost with a 4.9 litre engine. 4-wheel power assisted disc brakes are not available when a 3.3 litre or a 4.1 litre engine is specified.
- (j) Power steering is not available with 3-speed manual column shift transmission but is mandatory at extra cost when the 4.9 litre V8 engine and integrated air conditioning are specified in combination.
- (k) Consult the Ford Colour Selector or your authorized Ford Dealer to determine which colours are available in metallic paint.
- (l) The actual towing capability and performance of a vehicle will depend upon many factors including the condition of the vehicle, the vehicle load, the vehicle specifications, including engine capacity, transmission type, axle ratio, tyre type and size, weather conditions, road gradient and other terrain conditions.
- Power steering is not available with 3-speed manual column shift transmission.
 - All vehicles with floor-mounted transmissions are fitted with a centre console.
 - Power steering is mandatory at extra cost when integrated air conditioning is fitted with V8 engines.
 - Limited slip differential is mandatory at extra cost with 4.9 litre V8 engine.



SPECIFICATIONS

Dimensions:	
Overall length - Utility	4864mm (191.5")
Overall length - Van	4867mm (191.6")
Overall width	1860mm (73.2")
Overall height - Utility	1388mm (54.4")
Overall height - Van	1604mm (63.1")
Wheelbase	2946mm (116.0")
Track - front	1552mm (61.1")
-rear	1527mm (60.1")
Ground clearance	162mm (6.4")
Max. load length (tailgate down)	2696mm (106.1")
Max. load length (tailgate closed)	2134mm (84.0")
Max. load height (unladen)	579mm (22.8")
Usable fuel tank capacity	67.7 litres (14.9 gallons)
Turning circle	12.4 m (40.6 ft)
Cubic capacity (Utility)	1.1 m ³ (38.4 ft ³)
Cubic capacity (Van)	2.8 m ³ (98.6 ft ³)

Please note: All measurements, dimensions and capacities referred to are approximate only.

Some options are required to be ordered or used in combination with other options. Please consult the notes to the charts and your Authorised Ford Dealer for details before deciding to place your order.

Always discuss your intended purchase carefully with your Authorised Ford Dealer before deciding to place your order.



Ford Australia - We're moving with you.

Printed April 1981

FORD MOTOR COMPANY OF AUSTRALIA LIMITED
 FORD SALES COMPANY OF AUSTRALIA LIMITED
 1735 Sydney Road, Campbellfield, Victoria, 3061.

